

# REQUEST TO CORRECT/CANCEL PERMIT TO OPERATE

To: **Sacramento Metropolitan Air Quality Management District**  
777 12<sup>th</sup> Street, 3<sup>rd</sup> Floor, Sacramento, CA 95814-1908

From: Company: \_\_\_\_\_ Phone: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

RE: **Permit Renewal Invoice No.:** \_\_\_\_\_

I/We request that the Air Quality Management District:

- Correct our Permit(s) to Operate information as indicated in the attached Invoice Detail Sheet (Make a copy of the Invoice Detail Sheet, show all corrections that need to be made, and send it back to the District along with this form and any other supporting information.)
- Cancel our Permit(s) to Operate the equipment listed below for the indicated reason  
**NOTICE: If you wish to apply for Emission Reduction Credits, under Rule 204, an application for Emission Reduction Credits must be submitted within 60 days of the District receiving this notice. An applicant may request an extension of time to file the application in accordance with the rule.**

Permit #	Equipment Description
_____	_____
_____	_____

- The equipment:     Has been removed     Is no longer in use     Is now exempt (provide explanation)

Date Equipment was Removed or Last Operated: \_\_\_\_\_

In the event that the equipment is put back into service or replaced, an application for a permit will be required prior to using equipment. For fuel dispensers taken out of service, please provide totalizer reading.

- The business has changed ownership. Date Ownership Changed: \_\_\_\_\_  
New owner: \_\_\_\_\_ Phone No.: \_\_\_\_\_
- The business no longer exists. Date Equipment was Last Operated: \_\_\_\_\_
- Other (explain): \_\_\_\_\_

**NOTICE: The information you are providing above is subject to provisions of the California Health and Safety Code Section 42402.2.**

42402.2. (b) Any person who, knowingly and with intent to deceive, falsifies any document required to be kept pursuant to any provision of this part, or any rule, regulation, permit, or order of the state board or of the district, is subject to the same civil penalty as provided in subdivision (a). "(a) ..... , is liable for a civil penalty, of not more than twenty-five thousand dollars (\$25,000)."

**For Receipt of future rules and planning notices affecting your permit and facility; check one box:**

- Please send e-mail notices to \_\_\_\_\_
- I will sign up myself at [www.airquality.org/listserve/](http://www.airquality.org/listserve/) to receive e-mailed notices.
- I want the District to mail notices to the address on this application.
- I am already subscribed.

SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_